GENERAL INDEX

A

Acer saccharum, patterns of water movement 301
Action spectra of phycocyanin formation in Cyanidium 85
Age of tree, effect on number of resin canals in pond pine needles 251
Aldehydes, interaction with uredospores of wheat rust 121
Algae, action spectra of phycocyanin formation in Cyanidium 85; colony formation in Gloeotaenium and its significance in evolution of filamentous habit 144; structure and development of Myriodesma 68
Allylglycine resistance in Pseudomonas 324
Amino acids, required by mutants of Marchantia 94
Ammophila and Ammophila–Andropogon communities, occurrence of Corispermum hyssopifolium 155
Amomum dealbatum, embryology 353
Anatomy, base of seed hair in cotton 196; developmental, of tubers of Dioscorea floribunda and D. spiculiflora 416; histological changes in bean induced by atrazine 329; leaf, in Arizona junipers 220, in Oryzeae and Ehrharteae 264; mesocarp cell structure in Persea americana 423; nodal, of Ephedra foliata 253; of Ceratopteris thalictroides 132, Myriodesma 68, Sebastiania chamaelea 58, Stephanospermum 231; seedling, of Nerium oleander with respect to laticifer development 224; shoot apex, in Daphne 30, in Pseudolarix 241; vascular, of flower in Diapensiaceae 200; *see also* Histology *and* Morphology
Andropogon scoparius community, occurrence of Corispermum hyssopifolium 155
Aneuploidy in Bothriochloa and Dichanthium 437
Annona squamosa, morphology of seed germination and seedling 360
Annual, ecology of Corispermum hyssopifolium 155
Antheridium, development, in Ceratopteris thalictroides 405, in Myriodesma 68
Apical region of Myriodesma 68
Apogamy, sporophyte development from callus of Pteris gametophytes 413
Apomixis in Bothriochloa and Dichanthium 437
Apple, induction of parthenocarpic fruits with gibberellin 191
Archegonium, development in Ceratopteris thalictroides 405
Aril in Amomum dealbatum and Hedychium acuminatum 353
Arnott, Howard J., Sporangial arrangement in North American species of Selaginella 371
Arora, Usha, Some embryological aspects of Amomum dealbatum and Hedychium acuminatum 353
Ascomycete, morphology of Hypomyces lactifluorum 395
Ashton, Floyd M., Structural changes in Phaseolus vulgaris induced by atrazine. I. Histological changes 329, II. Effects on fine structure of chloroplasts 336
Aspen; *see* Populus
Aspinall, D., Effects of daylength and light intensity on growth of barley. I. Growth and development of apex with a fluorescent light source 429
Atrazine, induction of histological changes in bean 329, effect on fine structure of bean chloroplasts 336
Auxins; *see* Growth-regulating substances, Indoleacetic acid, Naphthaleneacetic acid, *and* β-Naphthoxyacetic acid
Avena; *see* Oats

B

Bacteria, genetic and biochemical characteristics of six phytopathogenic species of Pseudomonas 324
Banana, vegetative shoot apex and zonal changes as it becomes reproductive 246
Barley, growth of apex with fluorescent light of different intensities and various time periods 429
Basswood; *see* Tilia americana
Beals, H. O., Variation in number of resin canals per needle in pond pine 251
Bean, apparent midnight decrease in leaf water content 343; growth of leaf disks as affected by kinetin, red light, and gamma radiation 274; histological changes induced by atrazine 329; immunochemical reactions of protein fraction of dark-grown leaves 128; ultrastructure of chloroplasts as affected by atrazine 336
Bell, William D., Yellow-stripe phenotype in maize. I. Effects of ys_1 locus on uptake and utilization of iron 1
Benzothiazole-2-oxyacetate; *see* Growth-regulating substances
Betula papyrifera, patterns of water movement 301
Bioassay for diphenamid and linuron in soil 388
Biochemical characteristics of six phytopathogenic species of Pseudomonas 324
Biosynthetic pathways, in Marchantia suggested by nutritionally deficient mutants 94; synthesis of β-carotene 180
Birch; *see* Betula
Bisalputra, Thana, Structural changes in Phaseolus vulgaris induced by atrazine. I. Histological changes 329, II. Effects on fine structure of chloroplasts 336
Bogorad, Lawrence, Action spectra studies of phycocyanin formation in a mutant of Cyanidium caldarium 85; Immunochemical comparisons of protein fractions from dark-grown leaves 128; Yellow-stripe phenotype in maize. I. Effects of ys_1 locus on uptake and utilization of iron 1
Borgaonkar, D. S., Aneuploidy and apomixis in Bothriochloa and Dichanthium 437
Borthwick, H. A., Inhibition of flowering of Chenopodium rubrum by prolonged far-red radiation 444
Botanical Gazette, preparation of copy 393
Bothriochloa, aneuploidy and apomixis 437; natural introgression between B. ischaemum and B. intermedia in West Pakistan 294
Bowen, William R., Origin and development of winged cork in Euonymus alatus 256
Bowler, E., Persea americana, mesocarp cell structure, light and electron microscope study 423
Briggs, Winslow R., Correlative inhibition and the primary organs of Marsilea vestita 317
Broecker, Wallace S., Uptake of CO_2 by roots of Xanthium plants 118
Bugseed; *see* Corispermum
Bukovac, Martin J., Induction of parthenocarpic growth of apple fruits with gibberellins A_3 and A_4 191
Bystrom, Barbara G., Persea americana, mesocarp cell structure, light and electron microscope study 423

C

Callus derived from Pteris gametophytes in darkness 413
Cambium, growth rate in dominant, intermediate, and suppressed red pine trees 146; initiation in dominant, intermediate, and suppressed red pine trees 146
Camphor weed; *see* Heterotheca
Capon, Brian, Immunochemical comparisons of protein fractions from dark-grown leaves 128
Carbon dioxide uptake by roots of Xanthium plants 118
Carbon-14, used to measure CO_2 uptake and fixation by Xanthium roots 118
Carica; *see* Papaya
Carnation; *see* Dianthus
Carotene synthesis in tomato, inhibited by temperature 180
Castilleja, root parasitism 21
Cell division in leaf disks treated with kinetin, red light, and gamma radiation 274
Cell enlargement in leaf disks treated with kinetin, red light, and gamma radiation 274
Cell structure in mesocarp of Persea americana 423
Cell wall, ultrastructure in Cucurbita xylem 311
Ceratopteris thalictroides, gross morphology and anatomy

132; sporogenesis, gametophyte development, and cytology 405
Cheadle, Vernon I., Mitochondria in the phloem of Cucurbita 79; A view of ultrastructure of Cucurbita xylem 311
Chenopodium rubrum, inhibition of flowering by prolonged far-red radiation 444
2-Chloro, 4-fluorophenoxyacetic acid; *see* Growth-regulating substances
Chloroplasts, gross effects of atrazine treatment 329; in xylem parenchyma 311; ultrastructure as affected by atrazine 336
Chorney, William, Uptake of CO_2 by roots of Xanthium plants 118
Chromatography, paper, of root extracts from fifteen species and six interspecific hybrids of Collinsia 363
Chromosomes, number and morphology in Ceratopteris thalictroides 405; numbers in Saccharum officinarum × S. spontaneum hybrids and F_2 and BC_1 progenies 186; supernumerary, in a Clarkia hybrid and its backcross progenies 289
Chrysanthemum, C. morifolium, post-harvest respiration as affected by a kinin 20; host for root parasitism of Castilleja 21
Citrus limettioides, water content of leaves 343
Clarkia, backcross progenies of hybrid between C. exilis and C. unguiculata 289
Collinsia, a paper chromatographic study of root extracts from fifteen species and six interspecific hybrids 363
Colony formation in Gloeotaenium and its significance in evolution of filamentous habit 144
Community ecology of Corispermum hyssopifolium on Lake Michigan dunes 155
Companion cells, sclerified, in Tilia americana 262; ultrastructure of mitochondria 79
Conceptacle in Myriodesma 68
Controlled environments, structure of small cabinets 103
Corispermum hyssopifolium, community and physiological ecology on Lake Michigan dunes 155
Cork, winged, origin and development in Euonymus alatus 256
Corn; *see* Zea
Cotton; *see* Gossypium
Cotyledons, of Ephedra foliata 253; of Nerium oleander, development of laticifers 224
Cross-incompatibility between species of Solanum and Lycopersicon 451
Crown position, effect on number of resin canals in pond pine needles 251
Cucurbita, mitochondria in phloem 79; ultrastructure of xylem 311
Culture, sterile, growth of yellow-stripe corn with iron chelate and various complex additions 1; of Marchantia gemmae 94
Cyanidium caldarium, action spectra of phycocyanin formation 85
Cystoseiraceae, affinities of Myriodesma 68
Cytogenetics, natural introgression in Bothriochloa 294; of backcross progenies of a Clarkia hybrid 289; of Saccharum officinarum × S. spontaneum hybrids and F_2 and BC_1 progenies 186
Cytology, of Ceratopteris thalictroides 405; of F_2 and BC_1 progenies from 112- and 136-chromosome Saccharum officinarum × S. spontaneum hybrids 186

D

Daphne pseudo-mezereum, structure and seasonal activity of vegetative shoot apex 30
Das, B. C., Effects of β-naphthoxyacetic acid on tillering and grain production in rice 270
Dedolph, R. R., Effect of benzothiazole-2-oxyacetate on flowering and fruiting of papaya 75; Effects of N^6-benzylaminopurine on post-harvest respiration of Chrysanthemum morifolium and Dianthus caryophyllus 20
Deskpande, B. D., Nodal anatomy of Ephedra foliata 253
de Wet, J. M. J., Aneuploidy and apomixis in Bothriochloa and Dichanthium 437
Diameter growth of trees, measurement affected by hydration 146
Dianthus caryophyllus, post-harvest respiration as affected by a kinin 20
Diapensia lapponica and D. lapponica subsp. obovata, floral morphology 200
Diapensiaceae, floral morphology 200
Dichanthium, aneuploidy and apomixis 437
Dioscorea, D. floribunda and D. spiculiflora, origin and anatomy of tubers 416; D. spiculiflora, growth, flowering, senescence, and dormancy as affected by photoperiod and temperature 346
Diphenamid, bioassay in soil 388
Diplacus, host for root parasitism of Castilleja 21
Dispersal of camphor weed related to autumnal daylight weather in Georgia Piedmont region 283
Dormancy of Dioscorea, as affected by temperature and photoperiod 346
Dubey, H. D., Bioassay of diphenamid and linuron in soil 388
Dunes, Lake Michigan, community and physiological ecology of Corispermum hyssopifolium 155

E

Ecology, community and physiological, of Corispermum hyssopifolium on Lake Michigan dunes 155
Ehrharteae, relationship to Oryzeae with special reference to leaf anatomy and histology 264
Electron micrographs, chloroplasts in normal and atrazine-affected bean leaves 336; Cucurbita xylem 311; mesocarp cells in Persea americana 423; mitochondria in Cucurbita phloem 79
Embryogeny, in Amomum dealbatum and Hedychium acuminatum 353; in Myriodesma 68; in Sebastiania chamaelea 58
Embryology, in Amomum dealbatum and Hedychium acuminatum 353; in Diapensiaceae 200; in Sebastiania chamaelea 58
Endoplasmic reticulum, changes in differentiating tracheary elements 311
Endosperm, development following intergeneric crosses using Solanum and Lycopersicon species 451; early development in Diapensiaceae 200; in Amomum dealbatum and Hedychium acuminatum 353; in Sebastiania chamaelea 58; ruminate, in seed of Annona squamosa 360
Environment, small cabinets for control 103
Ephedra foliata, nodal anatomy 253
Epidermis, morphology of base of seed hairs in cotton 196; multiple, in juniper leaves 220
Equipment, small cabinets for controlled environments 103
Ericales, floral morphology of Diapensiaceae 200
Esau, Katherine, Mitochondria in the phloem of Cucurbita 79; A review of ultrastructure of Cucurbita xylem 311
Eunonymus alatus, origin and development of winged cork 256
Euphorbiaceae, morphology and embryology of Sebastiania chamaelea 58
Evert, Ray Franklin, Sclerified companion cells in Tilia americana 262
Evolution, of filamentous habit, significance of colony formation in Gloeotaenium 144; of patterns of sporangial arrangement in Selaginella 371
Exotoxins of Pseudomonas species 324

F

Fahn, A., Vegetative shoot apex in banana and zonal changes as it becomes reproductive 246
Far-red radiation, duration and intensity, effect on flowering in Chenopodium rubrum 444
Ferns, callus tissues from dark-cultured gametophytes of Pteris vittata 413; Ceratopteris thalictroïdes, gross mor-

phology and anatomy 132, sporogenesis, gametophyte development, and cytology 405; correlative inhibition and primary organs of Marsilea vestita 317
Fertility in backcross progenies of a Clarkia hybrid 289
First, T., Vegetative shoot apex in banana and zonal changes as it becomes reproductive 246
Flax seed, histological study of malformation after exposure to 31° C. 367
Floral anatomy, in Diapensiaceae 200; in Gentianaceae, with special reference to placentation 42; in Sebastiania chamaelea 58
Floral development, in barley, as affected by different daylengths and intensities of fluorescent light 429; in Chenopodium rubrum 444
Floral induction, low-temperature requirement in olive 383
Floral initiation and maturation in Gossypium as affected by daylength and night temperature 278
Floral morphology; *see* Embryology *and* Floral anatomy
Flower buds, morphological development, in Chenopodium rubrum as related to far-red radiation 444, in olive, as related to low-temperature requirement 383
Flowering, of Chenopodium rubrum, inhibited by prolonged far-red radiation 444; of Dioscorea, as affected by temperature and photoperiod 346; of Gossypium, as affected by daylength and night temperature 278; of papaya, as affected by benzothiazole-2-oxyacetate 75
Freeman, J. F., Bioassay of diphenamid and linuron in soil 388
French, Richard C., Interaction of aldehydes with uredospores of stem rust of wheat 121
Fruit, cell structure in mesocarp of Persea americana 423; induction of parthenocarpic growth in apple with gibberellin 191; structure in Sebastiania chamaelea 58
Fruiting of papaya as affected by benzothiazole-2-oxyacetate 75
Fryxell, Paul A., Morphology of the base of seed hairs of Gossypium. I. Gross morphology 196
Fucales, structure and development of Myriodesma 68
Fungi, interaction of aldehydes with uredospores of wheat rust 121; morphology of Hypomyces lactifluorum 395; translocation in Rhizoctonia solani 440
Furfural, destruction by uredospores of wheat rust 121

G

Galax aphylla, floral morphology 200
Gametophyte, development in Ceratopteris thalictroides 405; female, in Diapensiaceae 200; male and female, in Amomum dealbatum and Hedychium acuminatum 353, in Sebastiania chamaelea 58; origin of callus tissues in dark-cultured Pteris vittata 413
Gamma radiation, effect on growth of bean leaf disks 274
Garber, E. D., Genetic and biochemical characteristics of six phytopathogenic species of Pseudomonas 324; Nutritionally deficient mutants of Marchantia polymorpha induced by X-rays 94; The genus Collinsia. XXI. A paper chromatographic study of root extracts from fifteen species and six interspecific hybrids 363
Gemmae of Marchantia, treated with X-rays to induce mutation 94
Genetics, biochemical, of six phytopathogenic species of Pseudomonas 324; different pigment strains of tomato used for studies of carotene synthesis 180; uptake and utilization of iron in yellow-stripe corn 1
Gentianaceae, morphology of flower with special reference to placentation 42
Germination, in Annona squamosa 360; in Corispermum hyssopifolium 155; of uredospores of wheat rust, as affected by aldehydes, temperature, and water vapor 121
Gibberellin, A_3 and A_4, induction of parthenocarpic growth in apple 191
Gifford, Ernest M., Jr., Shoot apex of Pseudolarix amabilis 241; Structural changes in Phaseolus vulgaris induced by atrazine. I. Histological changes 329, II. Effects on fine structure of chloroplasts 336
Gladiolus, water content of leaves 343
Gloeotaenium, colony formation and its significance in evolution of filamentous habit 144
Gopal Krishna, G., Morphology of the flower of some Gentianaceae with special reference to placentation 42
Gossypium, effects of daylength and night temperature on flowering in all species 278; gross morphology of base of seed hairs 196
Grain production in rice as affected by β-naphthoxyacetic acid 270
Grasses, aneuploidy and apomixis in Bothriochloa and Dichanthium 437; distribution of mitoses in root tip of Zea mays 421; effects of β-naphthoxyacetic acid on tillering and grain production in rice 270; F_2 and BC_1 progenies from Saccharum officinarum × S. spontaneum hybrids 186; growth of barley apex with different daylengths and intensities of fluorescent light 429; natural introgression in Bothriochloa 294; oats used as indicator plant for diphenamid in soil 388; ryegrass used as indicator for linuron in soil 388
Griffith, Mildred M., Effects of kinetin, red light, and gamma radiation on growth of disks of bean leaves 274
Growth, daily radial in oak as related to maximum and minimum temperature 9; intrusive, of non-articulated laticifer in seedling of Nerium oleander 224; of barley apex under different daylengths and intensities of fluorescent light 429; of bean leaf disks as affected by kinetin, red light, and gamma radiation 274; of Castilleja when living free or as root parasite 21; of Corispermum under a variety of nutrient, temperature, and photoperiodic regimes 155; of Dioscorea as affected by temperature and photoperiod 346; of redwood seedlings as affected by soil and air temperatures 172; of rice as affected by β-naphthoxyacetic acid 270; of Sequoia gigantea under different photoperiodic regimes 17; of several test plants at different levels of diphenamid and linuron in soil 388; of yellow-stripe corn with various iron sources, varying levels of phosphate, in sterile culture, and interplanted with normal corn or other plants 1; parthenocarpic, of apple fruit, induced with gibberellin 191; seasonal, of dominant, intermediate, and suppressed red pine trees 146
Growth factors, required by mutants of Marchantia 94
Growth-regulating substances, benzothiazole-2-oxyacetate, effect on flowering and fruiting of papaya 75; 2-chloro, 4-fluorophenoxyacetic acid, effect on growth of apple fruit 191; 1-naphthyl N-methylcarbamate, effect on growth of apple fruit 191; triiodobenzoic acid, effect on flowering and fruiting of papaya 75; *see also* Gibberellin, Herbicides, Indoleacetic acid, Naphthaleneacetic acid, *and* β-Naphthoxyacetic acid
Guard, A. T., Distribution of mitoses in root tip of Zea mays 421
Gupta, A. B., Colony formation in Gloeotaenium and its significance in evolution of the filamentous habit 144
Gymnosperms, nodal anatomy of Ephedra foliata 253; patterns of water movement in pine and hemlock 301; photoperiodic responses of Sequoia gigantea 17; resin canals in pond pine needles 251; seasonal growth in dominant, intermediate, and suppressed red pine trees 146; shoot apex of Pseudolarix amabilis 241

H

Hackett, Wesley P., Morphological development of buds of olive as related to low-temperature requirement for inflorescence formation 383
Haigh, W. Geoffrey, Distribution of mitoses in root tip of Zea mays 421
Hairs, on cotton seed, morphology of base 196; on leaf of Ceratopteris 132
Halevy, A. H., Meaning of apparent midnight decrease in water content of leaves 343

Hanlin, Richard T., Morphology of Hypomyces lactifluorum 395
Hara, Noboru, Structure and seasonal activity in the vegetative shoot apex of Daphne pseudo-mezereum 30
Harlan, Jack R., Natural introgression between Bothriochloa ischaemum and B. intermedia in West Pakistan 294
Hartmann, H. T., Morphological development of buds of olive as related to low-temperature requirement for inflorescence formation 383
Haun, J. R., Relationships of temperature and photoperiod to growth, flowering, senescence, and dormancy of Dioscorea spiculiflora 346
Haustoria, root parasitism of Castilleja 21
Hayat, M. Arif, Morphology of seed germination and seedling in Annona squamosa 360
Heckard, L. R., Root parasitism in Castilleja 21
Hedychium acuminatum, embryology 353
Heisey, William M., Small cabinets for controlled environments 103
Helianthus, host for root parasitism of Castilleja 21
Hellmers, Henry, Effects of soil and air temperatures on growth of redwood seedlings 172
Hemlock; *see* Tsuga
Hendricks, S. B., Inhibition of flowering of Chenopodium rubrum by prolonged far-red radiation 444
Herbicides; *see* Atrazine, Diphenamid, *and* Linuron
Heterotheca latifolia, dispersal in Georgia Piedmont region 283
Histology, development of winged cork in Euonymus alatus 256; of malformed flax seeds after exposure to 31° C. 367; *see also* Anatomy
Hordeum; *see* Barley
Horner, Harry T., Jr., Sporangial arrangement in North American species of Selaginella 371
Humidity, controlled in small growth chamber 103
Hybridization, intergeneric, between species of Solanum and Lycopersicon 451; of Bothriochloa ischaemum and B. intermedia in West Pakistan 294
Hybrids, Clarkia exilis × C. unguiculata, backcross progenies 289; Collinsia, six interspecific, compared chromatographically with fifteen species 363; of Bothriochloa and Dichanthium, occurrence of aneuploidy and apomixis 437; of Saccharum officinarum × S. spontaneum, cytology of F_2 and BC_1 progenies 186
Hypomyces lactifluorum, morphology 395

I

Immunochemistry of protein fractions from dark-grown leaves 128
Indoleacetic acid, effect, on flowering and fruiting of papaya 75, on surgically treated sporelings of Marsilea 317
Inflorescence, stages of development in barley, as affected by different daylengths and intensities of fluorescent light 429
Instructions to authors of manuscripts for Botanical Gazette 393
Introgression, natural, in Bothriochloa 294
Iron, effects of ys_1 locus on uptake and utilization in corn 1
Iron chelates, uptake and utilization by yellow-stripe corn 1

J

Johansen, Thomas N., Jr., Anatomy of scalelike leaves of Arizona junipers 220
Johnson, K. W., Intergeneric hybridization involving species of Solanum and Lycopersicon 451
Juniperus deppeana, J. monosperma, J. scopulorum, and J. osteosperma, anatomy of scalelike leaves 220

K

Kasperbauer, M. J., Inhibition of flowering of Chenopodium rubrum by prolonged far-red radiation 444
Kato, Yukio, Physiological and morphogenetic studies of fern gametophytes in aseptic culture. I. Callus tissues from dark-cultured Pteris vittata 413
Keever, Catherine, Autumnal daylight weather and camphorweed dispersal in the Georgia Piedmont region 283
Keswani, C. L., Nodal anatomy of Ephedra foliata 253
Kinetin, effect, on growth of bean leaf disks 274, on surgically treated sporelings of Marsilea 317
Kinins, N^6-benzylaminopurine, effect on post-harvest respiration of Chrysanthemum and Dianthus 20; *see also* Kinetin
Kommedahl, Thor, Histological study of malformation in flax seed after exposure to 31° C. 367
Kozlowski, T. T., Daily radial growth of oak in relation to maximum and minimum temperature 9; Patterns of water movement in forest trees 301; Seasonal growth of dominant, intermediate, and suppressed red pine trees 146
Kraft, John M., Histological study of malformation in flax seed after exposure to 31° C. 367
Kupila, Sirkka, Shoot apex of Pseudolarix amabilis 241

L

Laetsch, W. M., Correlative inhibition and the primary organs of Marsilea vestita 317
Laticifer, non-articulated, development in seedling axis of Nerium oleander 224
Leaf, anatomy, in Arizona junipers 220, in bean as affected by atrazine 329, in Ceratopteris 132, in Oryzeae and Ehrharteae with bearing on their relationship 264, in Sebastiania chamaelea 58; bean, growth of disks as affected by kinetin, red light, and gamma radiation 274; needle moisture as mortality index for southern pine seedlings 178; pond pine, variation in number of resin canals 251; water content, meaning of apparent midnight decrease 343
Leisman, Gilbert A., A reconsideration of Stephanospermum 231
Life cycle of Hypomyces lactifluorum 395
Light, effect, on atrazine-induced changes in bean 329, on atrazine-induced changes in fine structure of bean chloroplasts 336; far-red, inhibition of flowering of Chenopodium rubrum by prolonged radiation 444; fluorescent, effect on growth of barley apex 429; intensity, effect on growth of barley apex 429; origin of callus tissues in dark-cultured Pteris gametophytes 413; red, effect on growth of bean leaf disks 274; requirement for phycocyanin formation in Cyanidium 85; *see also* Photoperiod *and* Ultraviolet light
Lime, sweet; *see* Citrus limettioides
Linck, A. J., Histological study of malformation in flax seed after exposure to 31° C. 367
Linum; *see* Flax
Linuron, bioassay in soil 388
Liverworts, nutritionally deficient mutants of Marchantia polymorpha 94
Lolium multiflorum; *see* Ryegrass
Lycopersicon, effects of interplanting on yellow-stripe phenotype of corn 1; intergeneric hybridization with Solanum 451; temperature inhibition of carotene synthesis 180

M

McIlrath, Wayne J., Yellow-stripe phenotype in maize. I. Effects of ys_1 locus on uptake and utilization of iron 1
MacLean, D. C., Effects of N^6-benzylaminopurine on post-harvest respiration of Chrysanthemum morifolium and Dianthus caryophyllus 20
Mahlberg, Paul G., Development of non-articulated laticifer in seedling axis of Nerium oleander 224
Maitreyi, M., Morphology and embryology of Sebastiania chamaelea 58
Malus; *see* Apple
Manuscripts, instructions for preparation for Botanical Gazette 393
Maple; *see* Acer

Marchantia polymorpha, nutritionally deficient mutants induced by X-rays 94
Marsilea vestita, correlative inhibition and the primary organs 317
Martin, Franklin W., Origin and anatomy of tubers of Dioscorea floribunda and D. spiculiflora 416
Mauney, J. R., Influence of daylength and temperature on flowering of Gossypium 278
Megagametophyte; *see* Gametophyte, female
Megasporogenesis, in Amomum dealbatum and Hedychium acuminatum 353; in Diapensiaceae 200; in Sebastiana chamaelea 58
Meiosis in backcross progenies of a Clarkia hybrid 289
Meristem; *see* Apical region, Root apex, *and* Shoot apex
Mesocarp, Persea americana, light and electron microscope study of cell structure 423
Mesophyll differences in leaves of Oryzeae and Ehrharteae 264
Methionine, requirement by mutants of certain species of Pseudomonas 324
Methionine-requiring mutants of Pseudomonas, growth on different organic sulfur-containing compounds 324
Microsporogenesis, in Amomum dealbatum and Hedychium acuminatum 353; in Sebastiania chamaelea 58
Miller, Morton W., Nutritionally deficient mutants of Marchantia polymorpha induced by X-rays 94
Milner, Harold W., Small cabinets for controlled environments 103
Mineral nutrition of Corispermum hyssopifolium 155; *see also* Iron *and* Phosphorus
Mitochondria in differentiating vascular cells of Cucurbita, phloem 79, xylem 311
Mitosis, distribution in root tip of Zea mays 421
Monselise, S. P., Meaning of apparent midnight decrease in water content of leaves 343
Monson, A. M., Translocation in Rhizoctonia solani 440
Morphogenesis, callus tissues from dark-cultured Pteris gametophytes 413; correlative inhibition and primary organs of Marsilea 317
Morphology, development of winged cork in Euonymus alatus 256; flower-bud development in olive as related to low-temperature requirement 383; of Ceratopteris thalictroides, gross 132, sporogenesis, gametophyte development, and cytology 405; of Hypomyces lactifluorum 395; of reproduction in intergeneric crosses between species of Solanum and Lycopersicon 451; of Sebastiania chamaelea 58; of seed germination and seedling in Annona squamosa 360; of seed hair base in cotton 196; of Stephanospermum 231; sporangial arrangement in Selaginella 371; structure and development of Myriodesma 68; *see also* Anatomy *and* Embryology
Mortality index, needle moisture of southern pine seedlings 178
Musa; *see* Banana
Mutants, chlorophyll-less Cyanidium caldarium used to determine action spectra for phycocyanin formation 85; nutritionally deficient, induced in Marchantia by X-rays 94, of six phytopathogenic species of Pseudomonas 324; yellow-stripe (ys_1) in corn 1
Myriodesma, structure and development 68

N

N^6-benzylaminopurine; *see* Kinins
Nair, G. U., Colony formation in Gloeotaenium and its significance in evolution of the filamentous habit 144
Nair, N. C., Morphology and embryology of Sebastiania chamaelea 58
Naphthaleneacetic acid, effect on flowering and fruiting of papaya 75
β-Naphthoxyacetic acid, effect on tillering and grain production in rice 270
1-Naphthyl N-methylcarbamate; *see* Growth-regulating substances
Nerium oleander, development of non-articulated laticifer in seedling axis 224
Nichols, Kenneth E., Action spectra studies of phycocyanin formation in a mutant of Cyanidium caldarium 85
Nitrogen, growth of Corispermum with and without a supply 155
Nizamuddin, Mohammed, Structure and development of Myriodesma (Fucales) 68
Nutrient status of dune sand 155
Nutritional deficiencies, in mutants of Pseudomonas 324; mutants induced in Marchantia by X-rays 94

O

Oak; *see* Quercus
Oats, indicator plant for diphenamid in soil 388
Oil idioblasts in mesocarp of Persea americana 423
Olea; *see* Olive
Olive, morphological development of buds as related to low-temperature requirement for inflorescence formation 383
Olmsted, Charles E., Corispermum hyssopifolium on the Lake Michigan dunes: its community and physiological ecology 155
Oogonium in Myriodesma 68
Organography of flower in Diapensiaceae 200
Ortiz, Sonia, Origin and anatomy of tubers of Dioscorea floribunda and D. spiculiflora 416
Oryza; *see* Rice
Oryzeae, relationship to Ehrharteae with special reference to leaf anatomy and histology 264

P

Pal, Niranjan, Studies on morphology and affinity of the Parkeriaceae. I. Morphological observations of Ceratopteris thalictroides 132, II. Sporogenesis, development of the gametophyte, and cytology of Ceratopteris thalictroides 405
Pal, Sunanda, Studies on morphology and affinity of the Parkeriaceae. I. Morphological observations of Ceratopteris thalictroides 132, II. Sporogenesis, development of the gametophyte, and cytology of Ceratopteris thalictroides 405
Paleg, L. G., Effects of daylength and light intensity on growth of barley. I. Growth and development of apex with fluorescent light source 429
Paleobotany, reconsideration of Stephanospermum 231
Palser, Barbara F., Studies of floral morphology in the Ericales. VI. The Diapensiaceae 200
Papaya, flowering and fruiting as affected by benzothiazole-2-oxyacetate 75
Parasite, morphology of Hypomyces lactifluorum 395
Parasitism, root, in Castilleja 21
Parkeriaceae, Ceratopteris thalictroides, gross morphology and anatomy 132, sporogenesis, gametophyte development, and cytology 405
Parthenocarpy, induction in apple with gibberellins A_3 and A_4 191
Pathology, genetic and biochemical characteristics of six phytopathogenic species of Pseudomonas 324
Periderm, origin and development of winged cork in Euonymus alatus 256
Periodicity in growth of shoot apex of Pseudolarix 241
Perithecium, structure and development in Hypomyces lactifluorum 395
Persea americana, mesocarp cell structure 423
Peterson, Theodore A., Seasonal growth of dominant, intermediate, and suppressed red pine trees 146
Phaseolus; *see* Bean
Phillips, L. L., Influence of daylength and night temperature on flowering of Gossypium 278
Phloem, Cucurbita, mitochondrial structure 79; Tilia americana, sclerified companion cells 262
Phosphorus, effects of deficiency on utilization of iron in yellow-stripe corn 1; growth of Corispermum with and without a supply 155
Phosphorus-32, translocation in Rhizoctonia 440

Photoperiod, effect on flowering, of Chenopodium rubrum 444, of Gossypium 278; effect on growth, of barley apex 429, of Marchantia gemmae 94; effect on growth, flowering, senescence, and dormancy of Dioscorea 346; response, of Corispermum hyssopifolium 155, of Sequoia gigantea 17
Photoreceptor, primary, for phycocyanin formation 85
Phycocyanin, action spectra of formation in Cyanidium 85
Phylogenetic relationship between Solanum and Lycopersicon, evidence from intergeneric hybridization 451
Phylogeny of species of Stephanospermum 231
Physiological ecology of Corispermum hyssopifolium on Lake Michigan dunes 155
Phytochrome, 1–2% Pfr for 60 minutes adequate to inhibit flowering 444
Phytopathogens, genetic and biochemical characteristics of six species of Pseudomonas 324
Pigments; *see* Carotene, Phycocyanin, Phytochrome, *and* Protochlorophyll holochrome
Pinus, needle moisture as mortality index in P. echinata and P. taeda 178; patterns of water movement in P. resinosa, P. strobus, and P. banksiana 301; seasonal growth of dominant, intermediate, and suppressed trees of P. resinosa 146; variation in number of resin canals per needle in P. rigida var. serotina 251
Placentation in Gentianaceae 42
Plummer, Gayther L., Autumnal daylight weather and camphor-weed dispersal in the Georgia Piedmont region 283
Pollen grains in Diapensiaceae 200
Pollen tube development in intergeneric crosses using Solanum and Lycopersicon species 451
Populus, patterns of water movement in P. tremuloides and P. grandidentata 301
Potato; *see* Solanum
Powell, Robert D., Effects of kinetin, red light, and gamma radiation on growth of disks of bean leaves 274
Precipitation, effect on evaluation of daily radial growth–temperature relations 9
Preparation of copy for the Botanical Gazette 393
Preston, W. H., Jr., Relationships of temperature and photoperiod to growth, flowering, senescence, and dormancy of Dioscorea spiculiflora 346
Price, Sam, Cytological studies in Saccharum and allied genera. VIII. F_2 and BC_1 progenies from 112- and 136-chromosome S. officinarum × S. spontaneum hybrids 186
Procambium, origin and direction of maturation in shoot apex, of Daphne 30, of Sebastiania 58
Protein fractions of dark-grown leaves, immunochemical reactions 128
Prothallus; *see* Gametophyte
Protochlorophyll holochrome, immunochemical behavior of solutions containing 128
Protoplast, ultrastructure in Cucurbita xylem 311
Pseudolarix amabilis, shoot apex 241
Pseudomonas, genetic and biochemical characteristics of six phytopathogenic species 324
Pteris vittata, callus tissues from dark-cultured gametophytes 413
Puccinia graminis var. tritici; *see* Wheat rust
Puri, V., Morphology of the flower of some Gentianaceae with special reference to placentation 42
Pyrimidine, required by mutant of Marchantia 94
Pyxidanthera barbulata and P. brevifolia, floral morphology 200

Q

Quercus, daily radial growth in relation to maximum and minimum temperature 9; patterns of water movement in Q. ellipsoidalis, Q. macrocarpa, Q. alba 301

R

Radiation, gamma, effect on growth of bean leaf disks 274; *see also* Light, Ultraviolet light, *and* X-rays
Radioisotopes, used in determining direction and extent of translocation in Rhizoctonia solani 440; *see also* Carbon-14
Redwood, seedlings, effect of soil and air temperature on growth 172
Resin, canals, variation in number per needle in pond pine 251; gland, in juniper leaves 220
Respiration, post-harvest, of Chrysanthemum and Dianthus as affected by a kinin 20
Rhizoctonia solani, translocation determined by use of radioisotopes 440
Rice, effects of β-naphthoxyacetic acid on tillering and grain production 270
Risley, E. B., A view of ultrastructure of Cucurbita xylem 311
Root, anatomy, in Ceratopteris 132, in Dioscorea 416; apex, in Ceratopteris 132, in Zea mays, distribution of mitoses 421; extracts from fifteen species and six interspecific hybrids of Collinsia chromatographed 363; of redwood seedlings grown at different soil and air temperatures 172; of Xanthium, uptake of CO_2 118
Root parasitism in Castilleja 21
Root-pruning, effect on uptake of iron by yellow-stripe corn 1
Rooting media, effect on growth of barley apex 429
Roth, Joerg, A reconsideration of Stephanospermum 231
Ryegrass, indicator plant for linuron in soil 388

S

Saccharum, F_2 and BC_1 progenies from 112- and 136-chromosome S. officinarum × S. spontaneum hybrids 186
Sachar, R. C., Some embryological aspects of Amomum dealbatum and Hedychium acuminatum 353
Sargassaceae, affinities of Myriodesma 68
Schizocodon soldanelloides, floral morphology 200
Scott, Flora Murray, Persea americana, mesocarp cell structure, light and electron microscope study 423
Seasonal, activity of vegetative shoot apex in Daphne 30; growth in dominant, intermediate, and suppressed red pine trees 146
Sebastiania chamaelea, morphology and embryology 58
Secretory tissue, non-articulated laticifer, development in seedling axis of Nerium oleander 224; resin gland in juniper leaves 220; variation in number of resin canals in needles of pond pine 251
Seed, Amomum dealbatum and Hedychium acuminatum, structure of coat 353; Annona squamosa, structure and germination 360; cotton, gross morphology of hair base 196; flax, malformation after exposure to 31° C. 367; Sebastiania chamaelea, structure 58; Stephanospermum, structure of S. elongatum and reconsideration of genus 231
Seedling, Ephedra foliata, anatomy 253; morphology, in Annona squamosa 360, in Dioscorea 416; Nerium oleander, development of non-articulated laticifer in axis 224; redwood, effects of soil and air temperatures on growth 172; southern pine, needle moisture as mortality index 178
Selaginella, sporangial arrangement in North American species 371
Senescence, of Dioscorea, as affected by temperature and photoperiod 346
Sequoia, S. gigantea, photoperiodic responses 17; S. sempervirens, *see* Redwood
Shaeffer, Susan G., Genetic and biochemical characteristics of six phytopathogenic species of Pseudomonas 324
Shoot apex, barley, growth as affected by different daylengths and intensities of fluorescent light 429; seedling, of Nerium oleander 224; structure and seasonal activity in Daphne 30; vegetative and reproductive in banana 246; in Sebastiania chamaelea 58
Short shoot, apex in Pseudolarix 241
Shortia galacifolia and S. uniflora, floral morphology 200
Silica bodies, types found in Oryzeae and Ehrharteae 264
Skok, John, Further aspects of the photoperiodic responses of Sequoia gigantea 17; Uptake of CO_2 by roots of Xanthium plants 118

Solanum, dormancy and sprouting of potato tubers compared with Dioscorea tubers 346; intergeneric hybridization with Lycopersicon 451
Sporangia, Ceratopteris thalictroides, development 405; Selaginella, arrangement in North American species 371
Spore of Ceratopteris thalictroides 405
Sporogenesis in Ceratopteris thalictroides 405
Squash; *see* Cucurbita
Stamen in Diapensiaceae 200
Stem, anatomy, in Ceratopteris 132, in Dioscorea 416
Stephanospermum, a reconsideration of genus 231; anatomy and morphology of S. elongatum 231
Stimulators, produced by uredospores of wheat rust 121
Stoler, S., Vegetative shoot apex in banana and zonal changes as it becomes reproductive 246
Stomata, on nectariferous surface of ovary and in carpel lining in Diapensiaceae 200; sunken, in juniper leaves 220
Storage products in Dioscorea tubers 416
Stransky, John J., Needle moisture as mortality index for southern pine seedlings 178
Streptomycin resistance in Pseudomonas 324
Strømnaes, Øistein, The genus Collinsia. XXI. A paper chromatographic study of root extracts from fifteen species and six interspecific hybrids 363
Strontium-89, translocation in Rhizoctonia 440
Suberization, internal, preceding winged cork formation in Euonymus alatus 256; of oil idioblasts in mesocarp of Persea americana 423
Sudia, T. W., Translocation in Rhizoctonia solani 440
Sugar cane; *see* Saccharum
Sugars, effect on growth of sporelings of Marsilea 317
Sulfur-35, translocation in Rhizoctonia 440
Sunflower; *see* Helianthus
Surgical experiments, effect of removal of primary organs of Marsilea 317
Sweetsop; *see* Annona squamosa

T

Tateoka, Tuguo, Notes on some grasses. XIII. Relationship between Oryzeae and Ehrharteae, with special reference to leaf anatomy and histology 264
Taxonomy, biochemical, a paper chromatographic study of root extracts from fifteen species and six interspecific hybrids of Collinsia 363; of Selaginella, usefulness of sporangial arrangement 371; relationship between Oryzeae and Ehrharteae with special reference to leaf anatomy and histology 264
Temperature, cold pretreatment and alternating temperature effects on germination of Corispermum fruits 155; controlled in small growth chamber 103; effect on growth, flowering, senescence, and dormancy of Dioscorea 346; inhibition of carotene synthesis in tomato 180; malformation of flax seed after exposure to 31° C. 367; maximum and minimum, effect on daily radial growth in oak 9; morphological development of olive buds as related to low-temperature requirement 383; night, effect on flowering of Gossypium 278; soil and air, effects on growth of redwood seedlings 172
Thallus structure in Myriodesma 68
Tilia americana, sclerified companion cells 262
Tillers, number in rice, as affected by β-naphthoxyacetic acid 270
Tissue culture, gametophytes and callus tissue of Pteris vittata 413; sporelings of Marsilea 317
Tomato; *see* Lycopersicon
Tomes, Mark L., Temperature inhibition of carotene synthesis in tomato 180
Torrie, J. H., Daily radial growth of oak in relation to maximum and minimum temperature 9
Transfusion tissue in juniper leaves 220
Transition region in Ephedra foliata 253
Translocation in Rhizoctonia solani 440
Trees, patterns of water movement 301; seasonal growth in pines 146
Trigonocarpales, reconsideration of Stephanospermum 231
Triiodobenzoic acid; *see* Growth-regulating substances
Tsuga canadensis, patterns of water movement 301
Tubers, of Dioscorea spiculiflora 346; origin and anatomy in Dioscorea floribunda and D. spiculiflora 416

U

Ultrastructure, of chloroplasts in atrazine-treated bean plants 336; of mesocarp cells in Persea americana 423; of vascular tissues in Cucurbita, phloem 79, xylem 311
Ultraviolet light, induction of mutants, in Marchantia gemmae 94, in Pseudomonas 324
Uredospores of wheat rust, interaction with aldehydes 121

V

Van Asdall, Willard, Corispermum hyssopifolium on the Lake Michigan dunes; its community and physiological ecology 155
Vapor pressure deficit related to camphor-weed dispersal 283
Vascular anatomy, of flower, in Diapensiaceae 200, in Gentianaceae 42; of seedling in Ephedra foliata 253
Vascular bundles in leaf midrib in Oryzeae and Ehrharteae 264
Vascular tissues, stem, as affected by atrazine 329; *see also* Phloem *and* Xylem
Vasek, Frank C., Backcross progenies of a hybrid between Clarkia exilis and C. unguiculata 289
Vernalization, bud development in olive as related to low-temperature requirement 383
Vitamins, required by mutants of Marchantia 94
Voth, Paul D., Nutritionally deficient mutants of Marchantia polymorpha induced by X-rays 94

W

Wann, E. V., Intergeneric hybridization involving species of Solanum and Lycopersicon 451
Water, content of leaves, meaning of apparent midnight decrease 343; needle moisture as mortality index in southern pine seedlings 178; patterns of movement in forest trees 301
Weather, autumnal daylight, in Georgia Piedmont region related to camphor-weed dispersal 283
Wheat rust, interaction of aldehydes with uredospores 121
White, John B., Variation in number of resin canals per needle in pond pine 251
Wind velocity related to camphor-weed dispersal 283
Winget, C. H., Daily radial growth of oak in relation to maximum and minimum temperature 9; Patterns of water movement in forest trees 301

X

Xanthium, effects of interplanting on yellow-stripe phenotype of corn 1; uptake of CO_2 by roots 118
X-rays, induction of nutritionally deficient mutants in Marchantia 94
Xylem, ultrastructure in Cucurbita 311

Y

Yield, of rice, as affected by β-naphthoxyacetic acid 270

Z

Zea, distribution of mitoses in root tip 421; effects of ys_1 locus on uptake and utilization of iron 1
Zinc-65, translocation in Rhizoctonia 440
Zingiberaceae, embryology of Amomum dealbatum and Hedychium acuminatum 353
Zonation, of shoot apex, in Pseudolarix 241, vegetative and reproductive in banana 246